

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey
Summary Table - Weighted Data

QN39: Percentage of students who had at least one drink of alcohol on one or more days during their life

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Age | | | | | | | | | |
| Total | 71.3 | (67.9 - 74.7) | 4,093 | 69.1 | (65.1 - 73.1) | 1,876 | 73.6 | (70.3 - 76.8) | 2,192 |
| 15 or younger | 61.4 | (55.3 - 67.5) | 1,582 | 57.9 | (50.1 - 65.7) | 706 | 64.9 | (59.5 - 70.3) | 868 |
| 16 or 17 | 76.2 | (73.3 - 79.0) | 2,019 | 74.3 | (71.0 - 77.7) | 937 | 78.3 | (75.1 - 81.5) | 1,077 |
| 18 or older | 79.7 | (75.7 - 83.7) | 481 | 79.8 | (74.6 - 85.1) | 232 | 80.0 | (74.4 - 85.6) | 245 |
| Grade | | | | | | | | | |
| 9th | 60.5 | (53.7 - 67.3) | 1,257 | 57.3 | (47.7 - 66.8) | 576 | 64.4 | (59.6 - 69.2) | 675 |
| 10th | 71.0 | (67.5 - 74.6) | 1,207 | 69.2 | (64.5 - 73.8) | 568 | 72.9 | (67.4 - 78.5) | 634 |
| 11th | 77.5 | (73.7 - 81.4) | 898 | 76.1 | (71.1 - 81.1) | 392 | 79.2 | (75.0 - 83.3) | 504 |
| 12th | 81.3 | (78.1 - 84.5) | 682 | 80.8 | (76.8 - 84.7) | 316 | 81.7 | (76.9 - 86.4) | 364 |
| Race/Ethnicity | | | | | | | | | |
| Black | 60.4 | (51.6 - 69.1) | 788 | 58.1 | (46.8 - 69.4) | 357 | 63.2 | (55.7 - 70.7) | 426 |
| Hispanic/ Latino | 73.1 | (68.5 - 77.7) | 1,097 | 70.4 | (64.8 - 76.0) | 515 | 76.3 | (71.0 - 81.5) | 573 |
| White | 75.1 | (72.5 - 77.7) | 1,894 | 73.5 | (69.9 - 77.1) | 854 | 76.6 | (73.6 - 79.6) | 1,037 |
| All other races | 68.4 | (61.2 - 75.5) | 186 | 66.5 | (57.4 - 75.7) | 101 | - | - | 84 |
| Multiple races | - | - | 91 | - | - | 34 | - | - | 57 |

Note: There were 471 students who did not provide usable data for QN39.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey
Summary Table - Weighted Data

QN40: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Age | | | | | | | | | |
| Total | 25.4 | (23.6 - 27.2) | 4,103 | 28.8 | (26.2 - 31.3) | 1,887 | 21.9 | (19.6 - 24.3) | 2,189 |
| 15 or younger | 29.4 | (25.5 - 33.3) | 1,574 | 29.2 | (23.5 - 34.9) | 704 | 29.4 | (25.7 - 33.1) | 863 |
| 16 or 17 | 23.8 | (21.6 - 25.9) | 2,030 | 28.8 | (25.5 - 32.1) | 944 | 18.8 | (16.0 - 21.6) | 1,079 |
| 18 or older | 20.5 | (16.2 - 24.7) | 486 | 27.4 | (21.1 - 33.7) | 237 | 13.1 | (8.0 - 18.2) | 245 |
| Grade | | | | | | | | | |
| 9th | 30.4 | (26.0 - 34.8) | 1,253 | 29.6 | (23.0 - 36.1) | 575 | 31.6 | (27.8 - 35.3) | 672 |
| 10th | 26.0 | (23.8 - 28.3) | 1,212 | 32.6 | (28.8 - 36.4) | 571 | 19.5 | (15.9 - 23.2) | 635 |
| 11th | 23.2 | (19.7 - 26.6) | 900 | 26.8 | (21.5 - 32.0) | 394 | 19.7 | (15.9 - 23.6) | 504 |
| 12th | 18.3 | (14.9 - 21.6) | 688 | 23.4 | (19.1 - 27.8) | 323 | 13.3 | (8.8 - 17.8) | 363 |
| Race/Ethnicity | | | | | | | | | |
| Black | 26.6 | (21.5 - 31.8) | 793 | 28.4 | (21.0 - 35.7) | 361 | 25.1 | (20.1 - 30.1) | 428 |
| Hispanic/ Latino | 27.6 | (24.4 - 30.8) | 1,100 | 30.7 | (27.0 - 34.3) | 520 | 24.3 | (19.3 - 29.2) | 572 |
| White | 23.2 | (21.2 - 25.3) | 1,896 | 27.4 | (23.9 - 31.0) | 858 | 19.2 | (16.3 - 22.0) | 1,034 |
| All other races | 34.1 | (27.6 - 40.7) | 183 | - | - | 99 | - | - | 83 |
| Multiple races | - | - | 92 | - | - | 34 | - | - | 58 |

Note: There were 461 students who did not provide usable data for QN40.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey
Summary Table - Weighted Data

QN41: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Age | | | | | | | | | |
| Total | 39.7 | (36.9 - 42.5) | 4,324 | 38.3 | (34.7 - 41.9) | 1,982 | 41.2 | (38.4 - 44.0) | 2,315 |
| 15 or younger | 32.5 | (28.8 - 36.1) | 1,697 | 28.3 | (23.6 - 32.9) | 758 | 36.5 | (32.3 - 40.6) | 930 |
| 16 or 17 | 42.4 | (38.5 - 46.3) | 2,127 | 41.6 | (37.0 - 46.1) | 989 | 43.5 | (39.6 - 47.4) | 1,131 |
| 18 or older | 49.7 | (44.4 - 55.0) | 490 | 53.7 | (46.7 - 60.7) | 234 | 45.9 | (38.5 - 53.3) | 252 |
| Grade | | | | | | | | | |
| 9th | 31.0 | (27.2 - 34.9) | 1,347 | 27.1 | (22.0 - 32.2) | 619 | 35.5 | (31.4 - 39.6) | 722 |
| 10th | 39.7 | (35.3 - 44.1) | 1,270 | 39.6 | (33.7 - 45.5) | 600 | 39.7 | (34.1 - 45.2) | 664 |
| 11th | 43.7 | (38.4 - 49.1) | 947 | 44.7 | (37.7 - 51.8) | 410 | 43.1 | (37.9 - 48.3) | 534 |
| 12th | 49.3 | (45.0 - 53.5) | 707 | 48.8 | (42.9 - 54.7) | 328 | 49.6 | (44.0 - 55.2) | 377 |
| Race/Ethnicity | | | | | | | | | |
| Black | 25.9 | (21.6 - 30.2) | 863 | 27.1 | (21.8 - 32.3) | 394 | 24.9 | (19.8 - 30.0) | 465 |
| Hispanic/ Latino | 41.8 | (37.8 - 45.8) | 1,154 | 38.4 | (33.8 - 43.0) | 538 | 45.4 | (40.4 - 50.4) | 607 |
| White | 45.1 | (41.5 - 48.7) | 1,991 | 43.7 | (38.7 - 48.6) | 901 | 46.4 | (43.0 - 49.8) | 1,086 |
| All other races | 38.1 | (29.4 - 46.8) | 185 | - | - | 97 | - | - | 86 |
| Multiple races | - | - | 93 | - | - | 36 | - | - | 57 |

Note: There were 240 students who did not provide usable data for QN41.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey
Summary Table - Weighted Data

QN43: Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Age | | | | | | | | | |
| Total | 4.5 | (3.9 - 5.1) | 4,465 | 5.3 | (4.5 - 6.1) | 2,058 | 3.6 | (2.6 - 4.6) | 2,375 |
| 15 or younger | 4.2 | (3.1 - 5.3) | 1,742 | 4.0 | (2.5 - 5.6) | 780 | 4.1 | (2.4 - 5.7) | 953 |
| 16 or 17 | 4.3 | (3.2 - 5.4) | 2,199 | 5.7 | (4.1 - 7.3) | 1,029 | 2.9 | (1.7 - 4.1) | 1,161 |
| 18 or older | 6.0 | (3.6 - 8.3) | 510 | 7.2 | (3.8 - 10.7) | 247 | 4.7 | (2.1 - 7.3) | 259 |
| Grade | | | | | | | | | |
| 9th | 4.3 | (3.1 - 5.5) | 1,396 | 4.6 | (2.8 - 6.5) | 643 | 3.9 | (2.1 - 5.7) | 747 |
| 10th | 4.6 | (3.3 - 5.9) | 1,310 | 4.6 | (2.6 - 6.6) | 622 | 4.3 | (2.5 - 6.0) | 680 |
| 11th | 3.8 | (2.3 - 5.2) | 972 | 5.1 | (2.8 - 7.3) | 425 | 2.5 | (1.1 - 3.9) | 544 |
| 12th | 5.3 | (3.6 - 6.9) | 728 | 7.3 | (4.4 - 10.2) | 341 | 3.4 | (1.6 - 5.2) | 385 |
| Race/Ethnicity | | | | | | | | | |
| Black | 2.8 | (1.7 - 3.9) | 896 | 2.8 | (1.2 - 4.3) | 408 | 2.8 | (1.1 - 4.6) | 484 |
| Hispanic/ Latino | 4.5 | (3.2 - 5.8) | 1,194 | 4.3 | (2.7 - 6.0) | 562 | 4.6 | (2.6 - 6.7) | 623 |
| White | 5.0 | (4.3 - 5.7) | 2,040 | 6.7 | (5.5 - 7.8) | 929 | 3.2 | (2.0 - 4.4) | 1,105 |
| All other races | 9.1 | (4.7 - 13.5) | 194 | 9.5 | (4.5 - 14.5) | 104 | - | - | 88 |
| Multiple races | - | - | 99 | - | - | 39 | - | - | 60 |

Note: There were 99 students who did not provide usable data for QN43.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey
Summary Table - Weighted Data

QN92: Percentage of students who usually drank in a public place, such as at a park, beach, or parking lot, during the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-------|------------|--|-------|
| Age | | | | | | | | | |
| Total | 3.2 | (2.4 - 3.9) | 2,313 | 3.1 | (2.1 - 4.1) | 1,051 | 3.2 | (2.2 - 4.3) | 1,247 |
| 15 or younger | 2.4 | (0.9 - 3.9) | 788 | 2.1 | (0.6 - 3.7) | 337 | 2.7 | (0.8 - 4.5) | 448 |
| 16 or 17 | 3.7 | (2.5 - 4.9) | 1,232 | 3.8 | (2.2 - 5.4) | 567 | 3.7 | (1.8 - 5.6) | 659 |
| 18 or older | 2.7 | (1.0 - 4.4) | 285 | 2.5 | (0.0 - 5.1) | 144 | 3.0 | (0.2 - 5.7) | 139 |
| Grade | | | | | | | | | |
| 9th | 1.9 | (0.6 - 3.1) | 654 | 1.0 | (0.0 - 2.2) | 279 | 2.6 | (0.6 - 4.6) | 372 |
| 10th | 4.6 | (2.7 - 6.4) | 651 | 5.4 | (2.6 - 8.1) | 316 | 3.8 | (1.3 - 6.3) | 332 |
| 11th | 2.8 | (1.3 - 4.3) | 562 | 2.0 | (0.6 - 3.5) | 245 | 3.6 | (1.1 - 6.1) | 316 |
| 12th | 3.6 | (2.1 - 5.1) | 402 | 4.0 | (1.7 - 6.3) | 188 | 3.2 | (0.9 - 5.5) | 212 |
| Race/Ethnicity | | | | | | | | | |
| Black | 2.3 | (0.9 - 3.8) | 411 | 3.5 | (1.1 - 5.9) | 188 | 1.3 | (0.0 - 2.7) | 221 |
| Hispanic/ Latino | 2.3 | (1.1 - 3.5) | 352 | 2.3 | (0.0 - 4.6) | 166 | 2.4 | (0.8 - 4.0) | 182 |
| White | 3.5 | (2.4 - 4.7) | 1,392 | 3.1 | (1.8 - 4.4) | 626 | 3.9 | (2.5 - 5.4) | 762 |
| All other races | - | - | 88 | - | - | 41 | - | - | 46 |
| Multiple races | - | - | 54 | - | - | 22 | - | - | 32 |

Note: There were 2251 students who did not provide usable data for QN92.

N = Number of unweighted observations.

- = Fewer than 100 cases.