

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey  
Summary Table - Weighted Data

QN48: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Age</b>									
Total	7.5	( 6.8 - 8.2)	4,479	7.5	( 6.4 - 8.5)	2,068	7.4	( 6.3 - 8.5)	2,380
15 or younger	6.0	( 4.8 - 7.2)	1,754	5.9	( 4.2 - 7.7)	787	6.1	( 4.1 - 8.1)	960
16 or 17	7.8	( 6.6 - 9.0)	2,203	7.7	( 6.2 - 9.3)	1,031	7.9	( 6.4 - 9.4)	1,163
18 or older	10.0	( 7.4 - 12.5)	506	10.5	( 6.8 - 14.2)	247	9.1	( 5.3 - 12.9)	255
<b>Grade</b>									
9th	6.7	( 5.1 - 8.2)	1,408	7.1	( 4.7 - 9.4)	650	6.2	( 4.2 - 8.3)	752
10th	7.2	( 5.7 - 8.8)	1,313	7.1	( 4.7 - 9.5)	624	7.2	( 5.2 - 9.3)	682
11th	6.7	( 5.1 - 8.4)	972	6.7	( 4.4 - 9.0)	428	6.8	( 4.3 - 9.3)	541
12th	9.5	( 7.2 - 11.8)	727	8.9	( 5.7 - 12.0)	339	9.8	( 7.0 - 12.7)	386
<b>Race/Ethnicity</b>									
Black	2.2	( 1.0 - 3.4)	895	2.7	( 0.7 - 4.7)	408	1.7	( 0.5 - 2.9)	482
Hispanic/ Latino	7.7	( 6.3 - 9.1)	1,200	6.0	( 4.3 - 7.8)	565	9.4	( 6.5 - 12.2)	626
White	9.2	( 8.3 - 10.1)	2,047	9.5	( 8.0 - 11.1)	933	8.7	( 7.4 - 10.1)	1,109
All other races	18.5	( 12.0 - 25.0)	195	19.7	( 10.4 - 28.9)	106	-	-	88
Multiple races	9.5	( 2.6 - 16.5)	101	-	-	40	-	-	61

Note: There were 85 students who did not provide usable data for QN48.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey  
Summary Table - Weighted Data

QN49: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Age</b>									
Total	3.6	( 3.1 - 4.2)	4,484	4.5	( 3.6 - 5.3)	2,074	2.7	( 2.1 - 3.2)	2,378
15 or younger	2.9	( 2.1 - 3.7)	1,753	3.4	( 2.3 - 4.4)	787	2.3	( 1.2 - 3.3)	958
16 or 17	3.8	( 2.9 - 4.7)	2,209	4.9	( 3.5 - 6.3)	1,036	2.7	( 1.8 - 3.6)	1,164
18 or older	4.9	( 3.0 - 6.8)	507	5.7	( 3.2 - 8.1)	248	3.6	( 1.4 - 5.9)	255
<b>Grade</b>									
9th	3.9	( 2.8 - 5.1)	1,405	5.0	( 3.1 - 6.8)	649	2.8	( 1.5 - 4.0)	750
10th	2.9	( 1.9 - 3.9)	1,315	3.5	( 1.9 - 5.1)	627	2.2	( 1.0 - 3.5)	681
11th	3.0	( 2.1 - 4.0)	975	4.5	( 2.7 - 6.3)	430	1.6	( 0.6 - 2.6)	542
12th	4.7	( 3.3 - 6.1)	729	5.0	( 3.1 - 6.8)	341	4.2	( 2.7 - 5.6)	386
<b>Race/Ethnicity</b>									
Black	1.7	( 0.6 - 2.9)	900	2.0	( 0.0 - 4.0)	412	1.5	( 0.3 - 2.8)	483
Hispanic/ Latino	3.1	( 2.2 - 4.0)	1,201	4.2	( 2.5 - 5.8)	567	1.8	( 0.7 - 2.8)	625
White	4.4	( 3.7 - 5.0)	2,045	5.4	( 4.3 - 6.5)	933	3.2	( 2.4 - 4.0)	1,107
All other races	12.0	( 6.8 - 17.1)	196	12.4	( 5.4 - 19.5)	106	-	-	88
Multiple races	6.2	( 0.2 - 12.3)	101	-	-	40	-	-	61

Note: There were 80 students who did not provide usable data for QN49.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey  
Summary Table - Weighted Data

QN50: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Age</b>									
Total	11.2	( 10.0 - 12.5)	4,500	11.0	( 9.3 - 12.6)	2,085	11.4	( 9.9 - 12.9)	2,382
15 or younger	13.1	( 11.0 - 15.3)	1,759	11.3	( 8.7 - 13.9)	792	14.9	( 12.1 - 17.8)	959
16 or 17	9.9	( 8.5 - 11.2)	2,213	10.5	( 8.2 - 12.8)	1,039	9.3	( 7.8 - 10.9)	1,165
18 or older	10.4	( 7.5 - 13.4)	512	11.7	( 8.2 - 15.2)	251	8.7	( 4.3 - 13.1)	257
<b>Grade</b>									
9th	13.8	( 11.5 - 16.2)	1,412	12.0	( 9.2 - 14.8)	654	15.9	( 13.0 - 18.8)	752
10th	11.3	( 9.3 - 13.4)	1,320	11.5	( 8.4 - 14.6)	629	11.2	( 8.1 - 14.3)	683
11th	8.0	( 6.2 - 9.9)	975	8.1	( 5.3 - 10.9)	431	8.0	( 5.7 - 10.4)	541
12th	10.2	( 7.8 - 12.6)	732	11.2	( 7.8 - 14.6)	343	9.0	( 6.0 - 12.1)	387
<b>Race/Ethnicity</b>									
Black	8.3	( 6.2 - 10.3)	904	9.1	( 6.2 - 11.9)	416	7.5	( 4.9 - 10.1)	483
Hispanic/ Latino	10.6	( 8.7 - 12.5)	1,207	10.3	( 7.2 - 13.3)	570	10.9	( 8.6 - 13.2)	628
White	12.4	( 10.3 - 14.5)	2,049	11.6	( 8.7 - 14.5)	936	13.2	( 10.7 - 15.6)	1,107
All other races	15.5	( 9.9 - 21.2)	197	18.3	( 10.3 - 26.4)	107	-	-	89
Multiple races	17.8	( 9.2 - 26.4)	100	-	-	39	-	-	61

Note: There were 64 students who did not provide usable data for QN50.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey  
Summary Table - Weighted Data

QN51: Percentage of students who used heroin one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Age</b>									
Total	2.8	( 2.3 - 3.3)	4,496	3.5	( 2.7 - 4.3)	2,080	1.9	( 1.2 - 2.5)	2,383
15 or younger	2.8	( 2.1 - 3.6)	1,758	3.2	( 2.1 - 4.2)	790	2.3	( 1.1 - 3.6)	960
16 or 17	2.4	( 1.7 - 3.0)	2,210	3.5	( 2.3 - 4.6)	1,036	1.2	( 0.6 - 1.7)	1,165
18 or older	3.6	( 1.9 - 5.3)	512	4.2	( 1.5 - 6.9)	251	3.0	( 0.9 - 5.2)	257
<b>Grade</b>									
9th	3.4	( 2.1 - 4.6)	1,411	4.2	( 2.6 - 5.8)	651	2.5	( 1.0 - 3.9)	754
10th	2.4	( 1.5 - 3.4)	1,317	3.1	( 1.5 - 4.7)	627	1.5	( 0.2 - 2.9)	683
11th	1.4	( 0.7 - 2.1)	975	2.3	( 0.9 - 3.7)	431	0.5	( 0.0 - 1.0)	541
12th	3.3	( 2.1 - 4.5)	731	3.9	( 2.0 - 5.7)	343	2.8	( 1.2 - 4.4)	386
<b>Race/Ethnicity</b>									
Black	2.6	( 1.4 - 3.7)	904	4.1	( 2.1 - 6.2)	413	1.0	( 0.0 - 2.0)	486
Hispanic/ Latino	1.9	( 1.2 - 2.6)	1,202	2.4	( 1.4 - 3.4)	567	1.3	( 0.4 - 2.2)	626
White	2.7	( 2.0 - 3.4)	2,046	3.1	( 2.0 - 4.3)	934	2.2	( 1.2 - 3.2)	1,107
All other races	11.8	( 6.8 - 16.8)	200	14.3	( 6.4 - 22.1)	109	-	-	89
Multiple races	6.2	( 0.2 - 12.3)	101	-	-	40	-	-	61

Note: There were 68 students who did not provide usable data for QN51.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey  
Summary Table - Weighted Data

QN52: Percentage of students who used methamphetamines one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Age</b>									
Total	4.9	( 4.3 - 5.4)	4,495	4.8	( 4.0 - 5.7)	2,078	4.5	( 3.7 - 5.4)	2,383
15 or younger	4.6	( 3.5 - 5.7)	1,757	5.3	( 3.9 - 6.6)	789	3.5	( 2.1 - 4.9)	959
16 or 17	4.3	( 3.4 - 5.3)	2,211	4.0	( 2.8 - 5.2)	1,036	4.7	( 3.5 - 5.8)	1,166
18 or older	6.8	( 4.4 - 9.3)	510	6.6	( 3.3 - 9.8)	250	6.7	( 3.6 - 9.8)	256
<b>Grade</b>									
9th	4.7	( 3.4 - 5.9)	1,410	5.8	( 4.1 - 7.5)	652	3.5	( 2.2 - 4.8)	752
10th	4.7	( 3.2 - 6.1)	1,318	4.8	( 3.0 - 6.6)	625	4.0	( 2.2 - 5.9)	685
11th	3.5	( 2.4 - 4.6)	974	3.0	( 1.4 - 4.6)	430	4.0	( 2.3 - 5.8)	541
12th	6.2	( 4.5 - 7.8)	731	4.8	( 2.5 - 7.1)	343	7.2	( 5.2 - 9.2)	386
<b>Race/Ethnicity</b>									
Black	3.1	( 1.9 - 4.3)	902	4.1	( 1.9 - 6.2)	412	2.1	( 0.8 - 3.4)	485
Hispanic/ Latino	3.1	( 2.1 - 4.1)	1,203	3.3	( 2.1 - 4.5)	568	2.8	( 1.3 - 4.2)	626
White	5.8	( 4.9 - 6.6)	2,046	5.1	( 3.9 - 6.4)	932	6.1	( 4.8 - 7.3)	1,108
All other races	15.3	( 10.0 - 20.6)	200	17.2	( 9.0 - 25.4)	109	-	-	89
Multiple races	10.5	( 4.0 - 17.1)	101	-	-	40	-	-	61

Note: There were 69 students who did not provide usable data for QN52.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey  
Summary Table - Weighted Data

QN53: Percentage of students who used ecstasy one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Age</b>									
Total	6.5	( 5.6 - 7.3)	4,498	6.4	( 5.3 - 7.5)	2,080	6.4	( 5.4 - 7.4)	2,384
15 or younger	5.4	( 4.2 - 6.5)	1,758	5.4	( 3.6 - 7.1)	789	5.2	( 3.7 - 6.8)	960
16 or 17	6.7	( 5.7 - 7.8)	2,212	6.5	( 5.3 - 7.8)	1,037	7.0	( 5.3 - 8.7)	1,166
18 or older	8.0	( 5.3 - 10.7)	511	8.3	( 4.8 - 11.8)	251	7.3	( 3.9 - 10.7)	256
<b>Grade</b>									
9th	6.5	( 5.0 - 8.1)	1,411	7.0	( 4.9 - 9.1)	652	6.1	( 4.5 - 7.7)	753
10th	5.3	( 4.1 - 6.5)	1,320	5.5	( 4.0 - 7.0)	627	5.0	( 3.1 - 7.0)	685
11th	6.1	( 4.4 - 7.8)	975	6.1	( 3.6 - 8.6)	431	6.2	( 3.9 - 8.5)	541
12th	7.7	( 5.8 - 9.6)	730	6.5	( 4.3 - 8.6)	342	8.6	( 6.0 - 11.2)	386
<b>Race/Ethnicity</b>									
Black	3.8	( 2.1 - 5.5)	902	5.1	( 2.6 - 7.6)	412	2.5	( 0.9 - 4.1)	485
Hispanic/ Latino	6.0	( 4.1 - 7.9)	1,204	5.9	( 4.2 - 7.6)	568	6.0	( 3.0 - 9.1)	627
White	7.1	( 6.1 - 8.1)	2,048	6.3	( 4.8 - 7.8)	934	7.8	( 6.6 - 8.9)	1,108
All other races	18.2	( 12.7 - 23.6)	200	19.0	( 10.1 - 27.9)	109	-	-	89
Multiple races	10.2	( 2.7 - 17.6)	101	-	-	40	-	-	61

Note: There were 66 students who did not provide usable data for QN53.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey  
Summary Table - Weighted Data

QN54: Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Age</b>									
Total	4.0	( 3.4 - 4.6)	4,499	5.0	( 3.9 - 6.0)	2,083	2.8	( 2.1 - 3.5)	2,382
15 or younger	4.4	( 3.3 - 5.5)	1,757	5.0	( 3.3 - 6.7)	789	3.5	( 2.1 - 4.8)	959
16 or 17	3.5	( 2.7 - 4.3)	2,216	4.8	( 3.5 - 6.2)	1,040	2.2	( 1.4 - 2.9)	1,167
18 or older	4.4	( 2.7 - 6.1)	510	5.2	( 2.6 - 7.9)	251	3.1	( 1.1 - 5.2)	255
<b>Grade</b>									
9th	5.0	( 3.7 - 6.2)	1,412	6.0	( 4.0 - 8.0)	653	3.8	( 2.3 - 5.3)	753
10th	3.9	( 2.8 - 4.9)	1,318	5.3	( 3.2 - 7.5)	627	2.0	( 0.8 - 3.3)	683
11th	2.7	( 1.3 - 4.0)	976	3.9	( 1.5 - 6.3)	432	1.5	( 0.7 - 2.3)	541
12th	3.9	( 2.7 - 5.0)	731	3.9	( 2.1 - 5.6)	343	3.6	( 2.1 - 5.1)	386
<b>Race/Ethnicity</b>									
Black	3.2	( 2.1 - 4.3)	904	4.2	( 2.3 - 6.1)	414	2.2	( 0.8 - 3.6)	485
Hispanic/ Latino	3.1	( 2.0 - 4.3)	1,203	4.0	( 2.0 - 6.0)	567	2.1	( 1.0 - 3.1)	627
White	4.3	( 3.3 - 5.2)	2,048	5.2	( 3.5 - 6.9)	936	3.1	( 2.1 - 4.0)	1,106
All other races	12.7	( 7.8 - 17.7)	200	14.2	( 6.4 - 21.9)	109	-	-	89
Multiple races	7.2	( 1.2 - 13.2)	101	-	-	40	-	-	61

Note: There were 65 students who did not provide usable data for QN54.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey  
Summary Table - Weighted Data

QN55: Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Age</b>									
Total	2.5	( 2.1 - 2.9)	4,495	3.2	( 2.5 - 4.0)	2,079	1.6	( 1.0 - 2.2)	2,383
15 or younger	2.4	( 1.7 - 3.1)	1,753	2.9	( 2.0 - 3.8)	786	1.9	( 0.8 - 3.1)	959
16 or 17	2.1	( 1.4 - 2.7)	2,216	3.2	( 2.1 - 4.3)	1,040	0.9	( 0.2 - 1.6)	1,167
18 or older	3.7	( 2.1 - 5.2)	510	4.1	( 1.5 - 6.7)	250	3.3	( 1.1 - 5.5)	256
<b>Grade</b>									
9th	3.1	( 2.1 - 4.0)	1,409	4.0	( 2.9 - 5.1)	651	2.0	( 0.8 - 3.2)	752
10th	2.0	( 1.2 - 2.8)	1,317	2.9	( 1.2 - 4.6)	626	1.0	( 0.1 - 1.9)	684
11th	1.1	( 0.5 - 1.8)	976	2.0	( 0.8 - 3.3)	432	0.3	( 0.0 - 0.6)	541
12th	3.3	( 2.1 - 4.5)	732	3.7	( 1.7 - 5.8)	343	2.9	( 1.1 - 4.8)	387
<b>Race/Ethnicity</b>									
Black	2.4	( 1.3 - 3.6)	905	3.9	( 1.6 - 6.1)	414	1.0	( 0.0 - 2.0)	486
Hispanic/ Latino	2.1	( 1.4 - 2.9)	1,202	2.5	( 1.2 - 3.8)	566	1.6	( 0.3 - 2.9)	627
White	2.2	( 1.7 - 2.8)	2,047	2.8	( 1.7 - 3.9)	936	1.6	( 0.9 - 2.4)	1,106
All other races	10.1	( 5.5 - 14.7)	198	12.2	( 5.9 - 18.5)	107	-	-	89
Multiple races	5.0	( 1.3 - 8.8)	100	-	-	39	-	-	61

Note: There were 69 students who did not provide usable data for QN55.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey  
Summary Table - Weighted Data

QN56: Percentage of students who were offered, sold, or given an illegal drug on school property by someone during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Age</b>									
Total	23.2	( 21.5 - 24.8 )	4,482	25.7	( 23.4 - 28.0 )	2,074	20.4	( 18.2 - 22.5 )	2,377
15 or younger	23.7	( 20.6 - 26.8 )	1,749	25.1	( 21.2 - 29.0 )	785	22.1	( 18.2 - 26.1 )	957
16 or 17	23.1	( 21.3 - 24.9 )	2,211	25.9	( 22.9 - 28.9 )	1,038	20.2	( 17.6 - 22.8 )	1,164
18 or older	21.1	( 17.4 - 24.9 )	507	26.1	( 20.5 - 31.7 )	248	15.7	( 11.3 - 20.1 )	255
<b>Grade</b>									
9th	24.2	( 20.8 - 27.6 )	1,405	26.2	( 21.4 - 31.1 )	648	22.1	( 18.1 - 26.1 )	751
10th	24.8	( 22.1 - 27.5 )	1,314	26.8	( 23.2 - 30.4 )	626	22.7	( 18.6 - 26.8 )	681
11th	21.0	( 17.8 - 24.2 )	976	24.6	( 19.2 - 29.9 )	432	17.7	( 13.7 - 21.6 )	541
12th	20.8	( 17.3 - 24.3 )	727	23.7	( 18.0 - 29.3 )	340	17.9	( 14.5 - 21.4 )	385
<b>Race/Ethnicity</b>									
Black	18.1	( 13.9 - 22.4 )	904	22.1	( 16.3 - 27.9 )	413	13.9	( 9.4 - 18.5 )	486
Hispanic/ Latino	28.5	( 25.3 - 31.7 )	1,198	31.7	( 27.4 - 36.0 )	565	24.9	( 20.5 - 29.3 )	624
White	22.7	( 20.9 - 24.5 )	2,040	24.3	( 21.4 - 27.2 )	932	21.0	( 18.0 - 23.9 )	1,103
All other races	25.8	( 19.1 - 32.5 )	199	30.9	( 21.4 - 40.3 )	109	-	-	89
Multiple races	-	-	99	-	-	38	-	-	61

Note: There were 82 students who did not provide usable data for QN56.

N = Number of unweighted observations.

- = Fewer than 100 cases.