

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey  
Summary Table - Weighted Data

QN28: Percentage of students who ever tried cigarette smoking, even one or two puffs

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Age</b>									
Total	47.6	( 44.9 - 50.4)	4,452	47.6	( 44.3 - 50.9)	2,050	47.6	( 44.4 - 50.8)	2,373
15 or younger	39.0	( 35.3 - 42.7)	1,746	37.8	( 33.7 - 41.9)	782	39.9	( 35.2 - 44.6)	956
16 or 17	50.8	( 47.4 - 54.1)	2,189	50.1	( 46.1 - 54.1)	1,025	51.6	( 47.6 - 55.7)	1,157
18 or older	59.8	( 55.0 - 64.7)	502	65.6	( 58.3 - 72.8)	240	54.1	( 47.2 - 60.9)	258
<b>Grade</b>									
9th	40.3	( 36.1 - 44.5)	1,399	39.6	( 35.0 - 44.1)	645	41.0	( 36.1 - 46.0)	749
10th	46.2	( 42.3 - 50.1)	1,312	45.4	( 40.1 - 50.8)	625	47.0	( 41.7 - 52.2)	680
11th	51.8	( 46.9 - 56.8)	968	52.1	( 45.7 - 58.5)	424	52.0	( 46.6 - 57.4)	541
12th	55.7	( 51.3 - 60.1)	718	58.7	( 52.0 - 65.4)	332	52.7	( 46.9 - 58.5)	384
<b>Race/Ethnicity</b>									
Black	37.6	( 32.2 - 43.1)	894	39.8	( 32.4 - 47.1)	406	35.5	( 28.8 - 42.2)	484
Hispanic/ Latino	48.1	( 43.4 - 52.8)	1,193	47.7	( 41.7 - 53.7)	561	48.2	( 41.5 - 54.9)	623
White	51.7	( 48.1 - 55.3)	2,035	51.2	( 46.4 - 55.9)	925	52.2	( 48.6 - 55.8)	1,105
All other races	44.0	( 36.4 - 51.7)	191	41.5	( 30.2 - 52.8)	102	-	-	88
Multiple races	-	-	97	-	-	39	-	-	58

Note: There were 112 students who did not provide usable data for QN28.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey  
Summary Table - Weighted Data

QN29: Percentage of students who smoked a whole cigarette for the first time before age 13 years

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Age</b>									
Total	13.6	( 12.1 - 15.0)	4,409	14.7	( 12.8 - 16.5)	2,027	12.3	( 10.4 - 14.3)	2,354
15 or younger	14.4	( 12.1 - 16.6)	1,722	14.2	( 11.3 - 17.1)	770	14.2	( 10.9 - 17.6)	946
16 or 17	13.1	( 11.4 - 14.9)	2,176	14.9	( 12.4 - 17.4)	1,019	11.4	( 9.1 - 13.7)	1,150
18 or older	12.8	( 9.3 - 16.3)	496	15.2	( 9.7 - 20.7)	236	10.6	( 6.2 - 15.0)	256
<b>Grade</b>									
9th	15.1	( 12.6 - 17.5)	1,384	16.1	( 13.1 - 19.1)	637	14.0	( 10.6 - 17.4)	741
10th	12.6	( 10.9 - 14.3)	1,300	13.3	( 10.8 - 15.9)	619	11.7	( 8.7 - 14.6)	676
11th	13.0	( 10.5 - 15.5)	963	14.3	( 11.0 - 17.5)	421	11.9	( 8.2 - 15.6)	539
12th	12.2	( 9.1 - 15.4)	710	14.1	( 9.6 - 18.6)	328	10.6	( 6.9 - 14.3)	380
<b>Race/Ethnicity</b>									
Black	11.4	( 8.9 - 13.9)	880	11.6	( 9.0 - 14.2)	394	11.1	( 7.5 - 14.6)	481
Hispanic/ Latino	11.5	( 8.9 - 14.1)	1,182	13.5	( 10.2 - 16.8)	559	9.3	( 6.3 - 12.4)	615
White	14.8	( 12.6 - 16.9)	2,023	15.9	( 12.9 - 18.9)	920	13.6	( 10.8 - 16.3)	1,099
All other races	19.0	( 12.2 - 25.9)	187	17.6	( 9.6 - 25.5)	100	-	-	86
Multiple races	-	-	96	-	-	38	-	-	58

Note: There were 155 students who did not provide usable data for QN29.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey  
Summary Table - Weighted Data

QN30: Percentage of students who smoked cigarettes on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Age</b>									
Total	17.2	( 15.6 - 18.9)	4,350	17.4	( 15.0 - 19.8)	1,996	16.9	( 15.1 - 18.7)	2,324
15 or younger	14.0	( 11.9 - 16.1)	1,710	12.0	( 9.2 - 14.7)	764	15.8	( 13.3 - 18.3)	939
16 or 17	17.4	( 15.1 - 19.6)	2,133	17.9	( 15.2 - 20.6)	996	17.0	( 14.0 - 19.9)	1,129
18 or older	25.5	( 21.0 - 30.0)	491	30.7	( 22.9 - 38.5)	233	19.7	( 13.9 - 25.4)	254
<b>Grade</b>									
9th	14.2	( 11.8 - 16.7)	1,362	13.4	( 10.5 - 16.4)	623	15.1	( 12.2 - 18.0)	733
10th	16.8	( 14.6 - 19.0)	1,279	15.9	( 12.4 - 19.5)	612	17.7	( 14.2 - 21.3)	661
11th	17.1	( 14.0 - 20.2)	953	18.0	( 13.7 - 22.4)	414	16.3	( 12.7 - 19.8)	536
12th	22.4	( 18.5 - 26.3)	701	25.4	( 18.9 - 31.9)	323	19.1	( 14.6 - 23.7)	376
<b>Race/Ethnicity</b>									
Black	7.3	( 5.2 - 9.4)	879	10.2	( 6.6 - 13.7)	393	4.3	( 2.6 - 6.0)	481
Hispanic/ Latino	15.5	( 12.7 - 18.3)	1,157	14.6	( 11.0 - 18.2)	547	16.0	( 12.6 - 19.3)	601
White	22.0	( 19.7 - 24.2)	1,990	21.6	( 17.9 - 25.3)	903	22.2	( 19.9 - 24.6)	1,083
All other races	19.6	( 14.1 - 25.1)	187	18.3	( 11.0 - 25.5)	100	-	-	86
Multiple races	-	-	96	-	-	36	-	-	60

Note: There were 214 students who did not provide usable data for QN30.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey  
Summary Table - Weighted Data

QNFRICG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Age</b>									
Total	6.4	( 5.6 - 7.3 )	4,350	5.7	( 4.6 - 6.7 )	1,996	7.0	( 5.8 - 8.3 )	2,324
15 or younger	4.1	( 2.8 - 5.4 )	1,710	3.1	( 1.6 - 4.6 )	764	4.9	( 3.1 - 6.7 )	939
16 or 17	7.3	( 6.1 - 8.5 )	2,133	7.0	( 5.4 - 8.5 )	996	7.6	( 5.6 - 9.7 )	1,129
18 or older	9.6	( 6.9 - 12.4 )	491	7.9	( 4.9 - 11.0 )	233	10.9	( 6.5 - 15.3 )	254
<b>Grade</b>									
9th	4.0	( 2.7 - 5.3 )	1,362	3.5	( 1.6 - 5.4 )	623	4.6	( 3.0 - 6.2 )	733
10th	6.0	( 4.5 - 7.5 )	1,279	5.7	( 3.7 - 7.7 )	612	6.2	( 3.9 - 8.5 )	661
11th	7.3	( 5.8 - 8.8 )	953	7.3	( 5.0 - 9.6 )	414	7.4	( 5.0 - 9.7 )	536
12th	9.7	( 7.1 - 12.4 )	701	7.5	( 4.5 - 10.4 )	323	11.5	( 7.7 - 15.3 )	376
<b>Race/Ethnicity</b>									
Black	2.2	( 1.3 - 3.1 )	879	2.1	( 0.9 - 3.3 )	393	2.3	( 1.1 - 3.5 )	481
Hispanic/ Latino	3.4	( 2.1 - 4.7 )	1,157	3.2	( 1.4 - 4.9 )	547	3.3	( 1.4 - 5.2 )	601
White	9.1	( 7.9 - 10.4 )	1,990	7.7	( 6.0 - 9.5 )	903	10.4	( 8.7 - 12.1 )	1,083
All other races	10.9	( 6.1 - 15.8 )	187	12.6	( 6.4 - 18.9 )	100	-	-	86
Multiple races	-	-	96	-	-	36	-	-	60

Note: There were 214 students who did not provide usable data for QNFRICG.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey  
Summary Table - Weighted Data

QN31: Among students who are current smokers, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Age</b>									
Total	11.0	( 8.6 - 13.5)	741	11.9	( 8.3 - 15.5)	344	10.0	( 6.0 - 14.0)	387
15 or younger	7.9	( 4.2 - 11.5)	240	-	-	97	7.3	( 1.8 - 12.7)	140
16 or 17	11.2	( 7.4 - 15.0)	373	13.4	( 7.5 - 19.3)	180	8.8	( 4.2 - 13.4)	193
18 or older	15.3	( 8.5 - 22.0)	122	-	-	66	-	-	54
<b>Grade</b>									
9th	9.2	( 5.0 - 13.4)	201	-	-	94	6.3	( 0.8 - 11.8)	106
10th	9.1	( 5.0 - 13.1)	210	-	-	92	8.3	( 2.6 - 14.0)	117
11th	6.8	( 2.2 - 11.3)	162	-	-	76	-	-	86
12th	18.8	( 11.0 - 26.5)	154	-	-	77	-	-	75
<b>Race/Ethnicity</b>									
Black	-	-	60	-	-	37	-	-	22
Hispanic/ Latino	4.3	( 1.3 - 7.4)	183	-	-	85	-	-	94
White	11.6	( 8.6 - 14.6)	431	12.5	( 8.1 - 16.9)	189	10.8	( 5.7 - 15.8)	241
All other races	-	-	36	-	-	22	-	-	13
Multiple races	-	-	20	-	-	6	-	-	14

Note: There were 3823 students who were excluded from this analysis or who did not provide usable data for QN31.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey  
Summary Table - Weighted Data

QN32: Among students who are less than 18 years of age and who are current smokers, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days

	Total			Males			Females		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
<b>Age</b>									
Total	16.4	( 12.8 - 20.1)	608	19.5	( 14.0 - 24.9)	276	13.7	( 9.4 - 18.0)	329
15 or younger	5.6	( 2.5 - 8.8)	236	-	-	97	3.8	( 0.5 - 7.0)	136
16 or 17	23.0	( 17.7 - 28.2)	372	25.0	( 17.6 - 32.4)	179	20.8	( 14.3 - 27.3)	193
18 or older	-	-	0	-	-	0	-	-	0
<b>Grade</b>									
9th	7.2	( 3.8 - 10.6)	192	-	-	91	4.1	( 0.4 - 7.9)	100
10th	13.4	( 7.9 - 18.8)	207	-	-	90	7.9	( 1.6 - 14.3)	116
11th	21.8	( 15.5 - 28.2)	148	-	-	67	-	-	81
12th	-	-	51	-	-	22	-	-	29
<b>Race/Ethnicity</b>									
Black	-	-	51	-	-	31	-	-	20
Hispanic/ Latino	17.7	( 10.1 - 25.4)	155	-	-	70	-	-	82
White	14.3	( 9.9 - 18.7)	351	16.1	( 9.2 - 23.0)	145	12.7	( 7.9 - 17.5)	206
All other races	-	-	28	-	-	19	-	-	9
Multiple races	-	-	15	-	-	6	-	-	9

Note: There were 3956 students who were excluded from this analysis or who did not provide usable data for QN32.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey  
Summary Table - Weighted Data

QN33: Percentage of students who smoked cigarettes on school property on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Age</b>									
Total	4.4	( 3.7 - 5.1)	4,477	4.6	( 3.6 - 5.6)	2,063	4.0	( 3.2 - 4.9)	2,383
15 or younger	3.8	( 2.7 - 4.8)	1,752	3.4	( 2.3 - 4.6)	784	4.1	( 2.4 - 5.9)	961
16 or 17	4.7	( 3.7 - 5.7)	2,207	5.5	( 3.9 - 7.1)	1,037	3.9	( 2.7 - 5.1)	1,162
18 or older	4.4	( 2.7 - 6.1)	502	4.7	( 2.1 - 7.2)	240	4.2	( 1.8 - 6.6)	258
<b>Grade</b>									
9th	4.2	( 3.0 - 5.3)	1,407	4.7	( 3.0 - 6.3)	646	3.7	( 2.2 - 5.2)	755
10th	4.5	( 3.3 - 5.7)	1,310	4.1	( 2.5 - 5.7)	626	4.8	( 3.0 - 6.6)	678
11th	4.0	( 2.5 - 5.5)	980	5.0	( 2.4 - 7.6)	430	3.1	( 1.4 - 4.9)	547
12th	4.8	( 3.3 - 6.4)	721	5.2	( 2.7 - 7.6)	335	4.5	( 2.7 - 6.4)	384
<b>Race/Ethnicity</b>									
Black	2.4	( 1.3 - 3.5)	909	2.1	( 0.8 - 3.4)	413	2.5	( 1.2 - 3.9)	491
Hispanic/ Latino	3.7	( 2.4 - 5.0)	1,193	4.0	( 2.2 - 5.8)	565	3.2	( 1.5 - 5.0)	619
White	5.1	( 4.0 - 6.2)	2,042	5.5	( 3.9 - 7.0)	929	4.7	( 3.4 - 6.1)	1,109
All other races	10.0	( 5.1 - 15.0)	191	11.5	( 4.7 - 18.2)	102	-	-	88
Multiple races	-	-	99	-	-	38	-	-	61

Note: There were 87 students who did not provide usable data for QN33.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey  
Summary Table - Weighted Data

QN34: Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Age</b>									
Total	10.2	( 9.3 - 11.1)	4,461	9.4	( 8.0 - 10.7)	2,062	10.9	( 9.4 - 12.4)	2,369
15 or younger	7.0	( 5.6 - 8.3)	1,741	5.1	( 3.4 - 6.7)	780	8.6	( 6.3 - 11.0)	954
16 or 17	11.0	( 9.7 - 12.3)	2,201	10.9	( 9.0 - 12.7)	1,036	11.2	( 9.1 - 13.3)	1,157
18 or older	16.1	( 12.4 - 19.7)	504	15.6	( 10.9 - 20.3)	244	16.3	( 11.0 - 21.5)	256
<b>Grade</b>									
9th	7.2	( 5.6 - 8.8)	1,405	5.9	( 3.6 - 8.3)	649	8.6	( 6.4 - 10.8)	750
10th	9.6	( 7.9 - 11.4)	1,311	10.3	( 6.7 - 13.9)	626	9.0	( 6.4 - 11.5)	679
11th	11.3	( 9.2 - 13.3)	972	10.6	( 7.4 - 13.8)	430	12.0	( 9.1 - 14.9)	539
12th	14.3	( 10.9 - 17.6)	718	12.8	( 9.0 - 16.6)	333	15.4	( 10.8 - 20.0)	383
<b>Race/Ethnicity</b>									
Black	3.8	( 2.5 - 5.1)	901	4.9	( 2.8 - 7.0)	411	2.6	( 1.3 - 3.8)	485
Hispanic/ Latino	6.8	( 4.9 - 8.7)	1,192	7.0	( 4.1 - 9.9)	563	6.4	( 4.2 - 8.5)	620
White	14.1	( 12.8 - 15.5)	2,039	12.1	( 10.0 - 14.1)	930	16.1	( 13.9 - 18.2)	1,105
All other races	13.6	( 8.2 - 19.0)	189	14.4	( 7.0 - 21.8)	101	-	-	86
Multiple races	-	-	98	-	-	40	-	-	58

Note: There were 103 students who did not provide usable data for QN34.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey  
Summary Table - Weighted Data

QN35: Among students who are current smokers, the percentage who tried to quit smoking during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Age</b>									
Total	57.0	( 53.4 - 60.7 )	735	52.1	( 47.8 - 56.4 )	341	62.2	( 56.3 - 68.1 )	385
15 or younger	57.4	( 50.9 - 63.8 )	237	-	-	96	62.7	( 53.4 - 72.0 )	138
16 or 17	53.6	( 49.0 - 58.1 )	372	49.4	( 43.2 - 55.5 )	179	58.1	( 51.5 - 64.7 )	193
18 or older	66.5	( 55.7 - 77.3 )	121	-	-	65	-	-	54
<b>Grade</b>									
9th	56.2	( 48.6 - 63.8 )	201	-	-	93	63.1	( 52.7 - 73.5 )	107
10th	53.6	( 47.4 - 59.8 )	208	-	-	91	61.4	( 52.5 - 70.3 )	116
11th	62.4	( 53.4 - 71.4 )	160	-	-	76	-	-	84
12th	56.6	( 47.0 - 66.2 )	153	-	-	76	-	-	75
<b>Race/Ethnicity</b>									
Black	-	-	58	-	-	35	-	-	22
Hispanic/ Latino	63.3	( 56.2 - 70.3 )	184	-	-	84	-	-	96
White	57.0	( 52.6 - 61.4 )	427	52.3	( 46.7 - 57.8 )	189	61.3	( 54.2 - 68.4 )	237
All other races	-	-	36	-	-	22	-	-	13
Multiple races	-	-	20	-	-	6	-	-	14

Note: There were 3829 students who were excluded from this analysis or who did not provide usable data for QN35.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey  
Summary Table - Weighted Data

QN36: Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Age</b>									
Total	5.9	( 4.8 - 7.0)	4,502	9.2	( 7.1 - 11.3)	2,085	2.5	( 1.9 - 3.1)	2,387
15 or younger	5.5	( 4.0 - 7.0)	1,758	8.1	( 5.7 - 10.5)	790	2.7	( 1.6 - 3.8)	961
16 or 17	6.1	( 4.5 - 7.6)	2,217	9.9	( 6.9 - 12.9)	1,044	2.2	( 1.3 - 3.1)	1,165
18 or older	6.1	( 4.1 - 8.1)	511	9.3	( 5.8 - 12.8)	248	2.9	( 1.0 - 4.8)	259
<b>Grade</b>									
9th	6.4	( 4.6 - 8.2)	1,415	8.8	( 5.9 - 11.8)	653	3.6	( 2.3 - 4.9)	756
10th	5.0	( 3.0 - 7.0)	1,316	8.3	( 4.9 - 11.8)	631	1.5	( 0.6 - 2.5)	679
11th	6.0	( 4.2 - 7.8)	982	11.2	( 7.5 - 14.9)	433	1.0	( 0.1 - 1.9)	546
12th	5.4	( 3.8 - 7.0)	731	7.5	( 4.8 - 10.2)	342	3.4	( 1.4 - 5.5)	387
<b>Race/Ethnicity</b>									
Black	2.0	( 0.9 - 3.0)	913	2.9	( 1.0 - 4.7)	419	1.1	( 0.1 - 2.0)	489
Hispanic/ Latino	3.2	( 2.0 - 4.5)	1,204	4.0	( 2.5 - 5.4)	569	2.2	( 0.8 - 3.7)	626
White	8.3	( 6.5 - 10.2)	2,047	13.8	( 10.2 - 17.4)	935	3.0	( 2.1 - 3.9)	1,108
All other races	10.9	( 5.7 - 16.1)	195	14.5	( 6.8 - 22.1)	106	-	-	88
Multiple races	11.8	( 3.2 - 20.5)	100	-	-	39	-	-	61

Note: There were 62 students who did not provide usable data for QN36.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey  
Summary Table - Weighted Data

QN37: Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Age</b>									
Total	3.8	( 2.9 - 4.8)	4,497	6.1	( 4.4 - 7.9)	2,083	1.4	( 0.9 - 1.9)	2,384
15 or younger	3.5	( 2.4 - 4.6)	1,755	5.0	( 3.3 - 6.6)	789	1.9	( 0.9 - 2.9)	959
16 or 17	3.9	( 2.6 - 5.3)	2,216	6.9	( 4.5 - 9.2)	1,044	0.9	( 0.3 - 1.6)	1,164
18 or older	4.2	( 2.7 - 5.7)	511	6.8	( 3.9 - 9.7)	248	1.6	( 0.5 - 2.6)	259
<b>Grade</b>									
9th	4.5	( 2.9 - 6.0)	1,413	6.4	( 4.0 - 8.8)	653	2.4	( 1.2 - 3.7)	754
10th	3.1	( 1.4 - 4.7)	1,314	5.4	( 2.4 - 8.4)	629	0.7	( 0.1 - 1.3)	679
11th	3.5	( 2.2 - 4.8)	980	7.0	( 4.2 - 9.8)	432	0.1	( 0.0 - 0.3)	545
12th	3.6	( 2.4 - 4.8)	731	5.4	( 3.1 - 7.6)	342	2.0	( 0.6 - 3.4)	387
<b>Race/Ethnicity</b>									
Black	1.5	( 0.7 - 2.4)	911	2.0	( 0.6 - 3.4)	419	1.1	( 0.1 - 2.0)	487
Hispanic/ Latino	2.6	( 1.5 - 3.8)	1,203	3.5	( 2.0 - 4.9)	569	1.7	( 0.4 - 2.9)	625
White	5.0	( 3.2 - 6.7)	2,044	8.9	( 5.7 - 12.0)	932	1.2	( 0.4 - 2.0)	1,108
All other races	8.3	( 3.3 - 13.4)	196	11.0	( 3.2 - 18.7)	107	-	-	88
Multiple races	9.5	( 2.4 - 16.6)	100	-	-	39	-	-	61

Note: There were 67 students who did not provide usable data for QN37.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey  
Summary Table - Weighted Data

QN38: Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Age</b>									
Total	12.3	( 11.1 - 13.4)	4,518	15.1	( 13.0 - 17.3)	2,099	9.0	( 7.7 - 10.4)	2,387
15 or younger	10.4	( 8.5 - 12.4)	1,759	11.7	( 8.7 - 14.6)	793	8.8	( 6.7 - 11.0)	958
16 or 17	12.0	( 10.7 - 13.4)	2,229	15.1	( 12.3 - 17.9)	1,053	9.0	( 7.2 - 10.8)	1,168
18 or older	17.7	( 14.4 - 21.0)	513	24.6	( 18.9 - 30.3)	250	9.9	( 6.7 - 13.1)	259
<b>Grade</b>									
9th	10.7	( 8.4 - 12.9)	1,417	12.5	( 9.2 - 15.7)	656	8.7	( 6.2 - 11.2)	755
10th	11.8	( 10.0 - 13.7)	1,322	13.8	( 10.4 - 17.2)	635	9.5	( 6.4 - 12.6)	680
11th	12.0	( 9.8 - 14.2)	986	16.1	( 11.9 - 20.3)	437	8.1	( 5.8 - 10.3)	546
12th	14.9	( 12.1 - 17.7)	732	20.2	( 15.4 - 24.9)	343	9.4	( 6.6 - 12.3)	387
<b>Race/Ethnicity</b>									
Black	8.1	( 6.3 - 9.9)	917	9.5	( 6.9 - 12.1)	426	6.4	( 4.4 - 8.4)	486
Hispanic/ Latino	10.7	( 8.2 - 13.2)	1,202	11.4	( 8.1 - 14.7)	569	9.7	( 7.0 - 12.3)	625
White	14.5	( 13.1 - 16.0)	2,053	19.1	( 16.0 - 22.1)	937	9.9	( 7.9 - 11.9)	1,111
All other races	16.0	( 10.4 - 21.6)	200	19.4	( 10.5 - 28.3)	109	-	-	89
Multiple races	12.8	( 6.2 - 19.4)	102	-	-	41	-	-	61

Note: There were 46 students who did not provide usable data for QN38.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey  
Summary Table - Weighted Data

QNANYTOB: Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Age</b>									
Total	21.6	( 19.8 - 23.5 )	4,309	23.6	( 20.7 - 26.5 )	1,975	19.6	( 17.6 - 21.6 )	2,306
15 or younger	18.0	( 15.4 - 20.6 )	1,683	17.5	( 13.9 - 21.1 )	750	18.4	( 15.7 - 21.2 )	927
16 or 17	21.8	( 19.2 - 24.3 )	2,123	24.0	( 20.1 - 27.8 )	991	19.7	( 16.9 - 22.4 )	1,124
18 or older	31.0	( 26.5 - 35.4 )	488	38.8	( 30.9 - 46.7 )	231	22.7	( 16.9 - 28.5 )	253
<b>Grade</b>									
9th	18.2	( 15.4 - 20.9 )	1,342	18.9	( 15.2 - 22.5 )	611	17.5	( 14.1 - 20.9 )	725
10th	20.9	( 18.3 - 23.4 )	1,266	21.5	( 17.0 - 26.1 )	607	20.3	( 16.8 - 23.7 )	653
11th	21.8	( 18.4 - 25.2 )	948	24.5	( 19.3 - 29.8 )	411	19.3	( 15.8 - 22.8 )	534
12th	27.2	( 23.1 - 31.2 )	700	32.6	( 25.6 - 39.6 )	322	21.8	( 16.8 - 26.8 )	376
<b>Race/Ethnicity</b>									
Black	10.0	( 7.7 - 12.3 )	868	12.8	( 9.1 - 16.6 )	389	7.0	( 5.0 - 8.9 )	474
Hispanic/ Latino	18.3	( 15.2 - 21.3 )	1,144	18.4	( 14.6 - 22.2 )	543	17.8	( 13.9 - 21.7 )	593
White	27.9	( 25.7 - 30.1 )	1,977	30.5	( 26.0 - 34.9 )	893	25.4	( 23.1 - 27.7 )	1,080
All other races	23.8	( 17.4 - 30.2 )	185	-	-	98	-	-	86
Multiple races	-	-	95	-	-	35	-	-	60

Note: There were 255 students who did not provide usable data for QNANYTOB.

N = Number of unweighted observations.

- = Fewer than 100 cases.